**DEPARTMENT OF HEALTH & HUMAN SERVICES**

Public Health Service
Centers for Disease Control
And Prevention (CDC)

Memorandum

Date: August 26, 2022

From: WHO Collaborating Center for Dracunculiasis Eradication, CDC

Subject: GUINEA WORM WRAP-UP #291

To: Addressees

***Human Guinea worm cases are down 56% in January-July 2022.***
***Animal Guinea worm infections are down 36% in January-July 2022.***

Figure 1




**Provisional*

## MALI: 5 CONFIRMED DOG INFECTIONS; 2 CONFIRMED CATS

Mali has reported 5 dogs with confirmed Guinea worm infections in January-July this year (all contained), in addition to 2 confirmed infected cats (both uncontained) (Figure 1). As shown in Table 1, all these infected animals have ethnic Bozo owners. Mali has reported an average of 12.7 (range: 9-20) animal infections annually in 2016-2021, but only 3 human cases (1 in 2020, 2 in 2021) since 2015.

## CHAD: 4 HUMAN CASES, 329 ANIMAL INFECTIONS IN JANUARY-JULY

Chad has reported four confirmed human Guinea worm cases (2 contained) in January-July 2022. This is a 33% reduction from the 6 cases reported in January- reported 329 infected animals (69% contained; 306 dogs and 23 cats), which is a 41% reduction from the 528 dogs and 26 cats reported during the same period of 2021.

2. Additional observations:

Case #1. 32-year-old man; worm emerged February 4. Presumed source of infection: *indigenous* (2 infected dogs in same village in February and
Apparent exposure: *drinks unfiltered water (*no safe water in village); also *eats grilled fish with entrails*. N.B.: This village began proactive tethering in 2020; it had 37 infected dogs in 2019, 28 in 2020, 5 in 2021, and 2 infected dogs so far in 2022.

Case #2. 2-year-old girl; worm emerged February 27. Presumed source of infection: *indigenous* (6 no
safe water in village (water sources reportedly were treated with Abate regularly since January ater); may have eaten undercooked fish.

Case #3. 29-year-old man; worm emerged June 21. Presumed source of infection: *unknown* (patient travels widely in area, has mental condition). Apparent exposure: *drinks unsafe water* (village has safe drinking water); eats grilled monitor lizards. No known Guinea worm in neighborhood in 2021.

Table 3 shows the number of dogs reported with Guinea worm infections in Chad by district in 2019-2021 and identifies which of those districts border Cameroon or Central African Republic. The map in Figure 2 shows the location and names of Chadian districts that border Cameroon or Central African Republic. The recent upsurge in reported dog infections in Guere district of

Mayo Kebbi Est Region between 2019 and 2021. The Guinea worm infections in Cameroon are believed to have been contracted in Chad, because the affected villages include families who live on both sides of the border. Two other Chadian districts that border Cameroon reduced their number of dogs reported with Guinea worm infections in 2019-2021: 9th -27%) and Mandelia (-74%). Two of border Central African Republic also reduced Guinea worm infections in dogs (Kyabe -76%, Biobe -35%), while the small number of infected dogs reported in Haraze district increased by 60%. *Late breaker: Chad reported Case #4 (uncontained) in late July 2022. Details in next issue.*

Table 2

Chad Guinea Worm Eradication Program
Cases of Dracunculiasis: January  July 2022*

| Case # | Age | Sex | Ethnicity | Occupation | Village of Detection | Zone | District | Region | Date | | | | | Isolated (Y/N) | Imported (Y/N) | Localization of Worm | Presence of safe water in village | Village Under Active Surveillance |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | | | | | | | | Detection | Emergence | Confirmation | Admitted to Health Center | Discharged from Health Center | | | | | |
| 1.1 | 32 | M | Sarakaba | Fisherman | Marabodoukoya 1 | Marabe | Kyabe | Moyen Chari | Feb. 4 | Feb. 4 | Feb. 4 | Feb. 4 | Mar. 23 | No | No | Left leg | No | Yes |
| 2.1 | 2 | F | Tounia | N/A | Madjyam | Marabe | Kyabe | Moyen Chari | Feb. 27 | Feb. 27 | Feb. 27 | Feb. 27 | Mar. 18 | Yes | No | Right thigh | No | Yes |
| 3.1 | 29 | M | Ngambaye | Fisherman/ Farmer | Ngama Sara | Malo | Mandelia | Chari Baguirimi | June 18 | June 21 | June 22 | June 21 | In progress | No | Yes | Lower abdomen | Yes | No |

**Provisional*

Figure 2

**Chad districts that border Cameroon or Central African Republic***




*See Table 3 below

**IN BRIEF:**

Karmen Unterwegner and Mindze Nkanga of The Carter Center traveled to Cameroon at the end of July to assess the surveillance structures and provide support for strengthening surveillance and interventions.

Giovanna Steel of The Carter Center traveled to Angola in June. She met with disease control

for the prize. Every three years after nominations are made, the Japanese prime minister selects the final winners. The prize includes an honorarium of 100 million yen, currently equivalent to about US$750,000, which The Carter Center will use towards the goal of Guinea worm eradication. Program Director Adam Weiss will personally accept the award at the Tokyo International Conference on African Development in Tunis on August 28.

## DEFINITION OF A PRESUMED SOURCE OF GUINEA WORM INFECTION