Date: February 15, 1999

From: WHO Collaborating Center for

Research, Training and Eradication of Dracunculiasis


Subject: GUINEA WORM WRAP-UP #87


To: Addresses

# **Detect Every Case, Contain Every Worm!**

BENIN: AIMING TO BREAK TRANSMISSION IN 1999; GLOBAL 2000 PROVIDES EMERGENCY FUNDING

According to data supplied by the national coordinator, <u>Dr. Aristide Paraiso</u>, Benin reported a total of 695 cases of dracunculiasis in 181 endemic villages and hamlets in 1998. This represents a reduction of -19% from the 855 cases reported in 1997, and -15% from the 212 endemic villages





Benin's target is to interrupt all transmission of dracunculiasis in 1999. As in some other countries, the high rate of reported case containment in 1997 (85%) was not reflected in overall reduction of cases in 1998 (-19%), but Oueme Department clearly shows what Benin's Guinea Worm Eradication Program can do. This program improved distribution of cloth filters and use of Abate in 1998, although bandaging of cases was infrequent during most of the year. Global 2000/The Carter Center has provided almost \$30,000 in emergency funding for this program over the past two months, because of delays in expected support from other sources. These funds are helping the Benin program to prepare cloth filters, provide supervision, and maintain its secretariat during the current peak transmission season. Global 2000 also provided Mr. Harry Godfrey for a one month return consultation in January-February. The Government of Benin has agreed to provide approximately 40 million FCFA (~\$61,000) later this year for transportation and health education.

#### FIVE OF GHANA'S TEN REGIONS HAVE NO INDIGENOUS CASES IN SEPTEMBER-DECEMBER 1998



As indicated in **Figure 3**, five of the ten regions of Ghana reported no indigenous cases during the four month period of September-December 1998, which includes two months of Ghana's peak transmission season (November-April). Four regions (Western, Greater Accra, Ashanti, Upper East) reported no indigenous cases in all of 1998. In 1998, 94% of Ghana's cases were reported from Northern, Brong-Ahafo, and Volta Regions. World Vision began drilling in the first week of


February to provide safe drinking water for the town of Savelugu, in Northern Region. Ghana, which remains the third-highest endemic country, after Sudan and Nigeria, is aiming to stop all transmission of dracunculiasis by the end of this year.


### NIGERIA STEERING COMMITTEE MEETS; NEW "GUINEA WORM CLOTH"

The Steering Committee of Nigeria's Guinea Worm Eradication Program (NGEP) met in Jos, Plateau State, on February 1, under the chairmanship of National Program Coordinator Dr. K.A. Ojodu. Dr. Ernesto Ruiz-Tiben, the technical director for Dracunculiasis Eradication Program, Global 2000 / The Carter Center, participated in the meeting, as did the chief of UNICEF/ Nigeria's Water and Environmental Sanitation Section, Mr. Mansoor M. Ali, and Global 2000 country representative Dr. Emmanuel S. Miri, and the four zonal facilitators. The group reviewed plans and control measures being taken during the peak transmission season in Southeast and Southwest Key concerns are the need for improving execution of interventions and active surveillance in endemic villages of those two Inadequate transport for field supervisors is still a major constraint, and Guinea worm vehicles that are being used primarily or exclusively for other purposes in Benue, Cross River and Enugu States need to be returned to the Guinea worm program. UNICEF / Nigeria

offered to provide plastic funnels and Global 2000 the nylon cloth needed to fabricate 20,000 funnel filters for distribution mostly in the SE and SW Zones. The latest shipments of Abate and filter material have been cleared from the port. At the steering committee meeting, NIGEP began distributing two Nigerian versions of "Guinea Worm Cloth", the pattern of which is reproduced here. Global 2000 provided \$10,000 to support development of the pattern and purchase of the first 10,000 meters of the new cloth, and the Federal Ministry of Health plans to purchase an additional equal amount. NIGEP will observe National Guinea Worm Eradication Week this year on March 21-25.

Provisional reports show a total of 1,358 cases in Nigeria in January 1999, of which 596 (44%) were contained. This represents a reduction of 12% from the 1,549 cases reported in January 1998. The low rate of case containment is mainly due to more accurate reporting of case containment rates in Southeast Zone, which reported 1,020 of the cases, and containment of 353 (35%). Ebonyi (662), Benue (208) and Oyo (158) States reported 1,028 (76%) of the cases in January.





Number of cases contained and number reported by month during 1998\*
(Countries arranged in descending order of cases in 1997)

COUNTRY					NUM	IBER OF CASES CO	ONTAINED / NUMBI	ER OF CASES REPO	RTED					
														%
	JANUARY	FEBRUARY	MARCH	APRIL	MAY	JUNE	JULY	AUGUST	SEPTEMBER	OCTOBER	NOVEMBER	DECEMBER	TOTAL*	CONT.
	465	856	889	1618	2135	3580	3433	3374	4242	2344	1111	227	24274	
SUDAN	1328	1254	1524	2627	3485	6058	7432	5820	6814	5500	2974	323	45139	54
	1544	1188	1199	854	952	953	954	800	412	481	348	499	10184	
NIGERIA	1549	1259	1279	955	1234	1484	1395	1197	659	907	738	764	13420	76
	870	535	478	276	208	169	132	40						
GHANA **	1278	709	554	382	263	226	178	58						

Figure 6

# PERCENTAGE OF ENDEMIC VILLAGES REPORTING AND PERCENTAGE CHANGE IN NUMBER OF INDIGENOUS CASES OF DRACUNCULIASIS DURING 1997 AND 1998 \*, BY COUNTRY

COUNTRY	ENDEMIC	VILLAGES: 1998	CASES REPORTED		% CHANGE : 1997 - 1998 % REDUCTION % INCREASE								
333,1111	NUMBER	% REPORTING	1997	1998	-100 	1	-50 	ı	0 1	ı	50 	1	100 
SENEGAL (12)	1	100	4	0	-100								
YEMEN (12)	5	100	7	0	-100								
CHAD (12)	10	100	25	2	-92								
MALI (12)	177	78	1080	629			-42						
GHANA (12)	625	100	8914	5457			-39						
UGANDA (12)	164	100	1359	899			-34						
BENIN (12)	181	94	839	680				-19					
ETHIOPIA (12)	41	100	439	359				-18					
NIGER (12)	282	100	3014	2684				-11					
BURKINA FASO (12)	209	NR	2477	2310				-7					
MAURITANIA (12)	57	NR	388	379				-	2				
COTE D'IVOIRE (12)	174	92	1247	1232				-	1				
CAMEROON (12)	1	100	0	0					Ю				
SUDAN (12)	6477	33	43596	45139					4	+			
NIGERIA (12)	1067	93	12589	13419					7	7+			
TOGO (12)	203	82	1755	2121						21	+		
TOTAL*	9658	57	77733	75310				-	3				
TOTAL (without Sudan )*	3181	96	34137	30171				-12					
									I				

<sup>\*</sup> Provisional. Totals do not include imported cases.

<sup>(8)</sup> Denotes number of months for which reports were received, e.g., Jan. - Aug., 1998

NR Countries with unknown or low rate of reporting.

## KENYA: SEVEN CASES IMPORTED FROM SUDAN



According to reports by the International Committee of the Red Cross (ICRC) Hospital in Lopiding, Kenya, seven patients with dracunculiasis who were imported into Kenya from Sudan were seen at that hospital in 1998:

Sex	Age	Village of Origin	Date Worm Emerged
Male	28	Panyagor	1 July 1998
Male	20	Boma	7 July 1998
Male	35	Tonj	Juner93.8

<u>Uganda</u>. Uganda Guinea Worm Eradication Program held an inter-district meeting of 5 remaining endemic districts from 15 to 16<sup>th</sup> February 1999 in Kotido town. Addressing a well-attended meeting of about 150 people comprising Local district leaders, sub county guinea worm supervisors, district health teams, water officers and district Administrators from Kotido, Moroto, Kitgum, Gulu and Arua, the Minister of State for Health <u>Dr. P. Byaruhanga</u> appealed to district political leaders and administrators to support field workers to interrupt guinea worm transmission cycle this year. He called upon the Programme to eradicate Guinea worm this year. Accompanying the Minister were representatives of UNICEF and WHO, <u>Mr. Bill Fellows</u> and <u>Dr. Josephine Namboze</u> respectively, who echoed the same call to accomplish eradication as soon as possible.

The objectives of the meeting were to solicit political support and commitment both from central and local governments and to formulate the strategies to lead the program in the final assault to eradication.

Before the meeting started about 3 hours were spent visiting four highly endemic sub-counties of Kotido.

Several recommendations were made. Of particular interest were those made by local leaders who resolved to support the program by committing themselves to do the following:

- ß For every sub-county to allocate some funds in their budget to Guinea worm eradication.
- ß To form village committees to look after every water source for maintenance and protection.
- To have a caretaker constantly guarding a water source who should never allow a person with an emerging worm to step in a pond and to ensure that everyone filters water at source.
- ß To constantly conduct inter-district meetings to address the insecurity problem between the nomadic Karamoja herdsmen and neighbouring districts. The first meeting was to be held on 17<sup>th</sup> February 1999 at the border Kalongo in Kitgum to be attended by district political heads (Local Council-5 Chairman), security secretaries, Guinea worm district co-ordinators, and 4 Guinea worm Sub-county supervisors per district.
- Solution To involve many leaders in verification of Guinea worm cases for reward system that is to be introduced in Karamoja in July this year.

UGWEP's target is to interrupt Guinea Worm transmission cycle this year.

### RECENT PUBLICATIONS

Peries H, de Rooy C, Nwe Y