

available at [www.sciencedirect.com](http://www.sciencedirect.com)



ienceDirect



1

C

A

A [10](#)

2001

B

B

C

[11](#)

1992

B

0 (1992), 9 (1992A) (1992), 301 (1992), 9 (1992A) 172-4

B





1  
 24 , 1.82  
 (95% C 1.61 2.07). 20  
 A 1.90  
 (95% C 1.63 2.20). fi  
 18  
 1.80  
 (95% C 1.5 2.2), 8  
 1.80 (95% C 1.6 2.1).

4.

A , A ,  
 A  
 1.82 (95%  
 C 1.61 2.07). A fi  
 17 24

A z : AC, C  
 ; A  
 ; AC, C,  
 ; AC, C,  
 C, A , A . A  
 fi

: B , CA, A,  
 C C , A , A,  
 C C

fl :

1. *Br J Ophthalmol* 2008; **92**:19. [:10.1136/bjoph.2008.148494](https://doi.org/10.1136/bjoph.2008.148494).
2. *Bull World Health Organ* 2005; **83**:913-9.
3. *Ann Trop Med Parasitol* 2008; **102**(1):3-5.
4. *Bull World Health Organ* 1987; **65**:477-83.
5. *Chlamydia trachomatis*. *Lancet* 2005; **366**:1296-300.
6. *Trachoma: a blinding scourge from the bronze age to the twenty-first century*. A ; 2008.
7. *Emerg Infect Dis* 2004; **10**:2012-6.
8. *Br J Ophthalmol* 1998; **82**:930-3.
9. *A* : fi [://doi.org/10.1186/14752875/456798](https://doi.org/10.1186/14752875/456798).
10. *Br J Ophthalmol* 2005; **89**:61-95. C 22005;

- 36. A . . . . . A , A . . . . . A , A . . . . . A . . . . . A . . . . .  
 . . . . . 9  
 . . . . . *East Mediterr Health J* 2006;12:566-72.
- 37. . . . . C, . . . . .  
 . . . . .  
 . . . . . *East Afr Med J* 1992;69:34-6.
- 38. A . . . . . B, . . . . . A , . . . . . CB.